SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

DTIC FILE COPY ①

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFIT/CI/NR 88-78	**2. GOVT ACCESSION NO.**	**3. RECIPIENT'S CATALOG NUMBER**
4. TITLE *(and Subtitle)* RATE ACCELERATION OF THE RETRO DIELS-ALDER REACTION OF ANTHRACENE CYCLOADDUCTS BY POLYSILOXY SUBSTITUENTS		**5. TYPE OF REPORT & PERIOD COVERED** MS THESIS
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) TIMOTHY AARON McKELVEY		**8. CONTRACT OR GRANT NUMBER(s)**
9. PERFORMING ORGANIZATION NAME AND ADDRESS AFIT STUDENT AT: OHIO STATE UNIVERSITY		**10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS**
. CONTROLLING OFFICE NAME AND ADDRESS		**12. REPORT DATE** 1988
		13. NUMBER OF PAGES 87
4. MONITORING AGENCY NAME & ADDRESS*(If different from Controlling Office)* AFIT/NR Wright-Patterson AFB OH 45433-6583		**15. SECURITY CLASS.** *(of this report)* UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

6. DISTRIBUTION STATEMENT *(of this Report)*

DISTRIBUTED UNLIMITED: APPROVED FOR PUBLIC RELEASE

DTIC
ELECTE
S
AUG 0 3 1988
H
D

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

SAME AS REPORT

18. SUPPLEMENTARY NOTES
Approved for Public Release: IAW AFR 190-1
LYNN E. WOLAVER
Dean for Research and Professional Development
Air Force Institute of Technology
Wright-Patterson AFB OH 45433-6583

19 July 88
go blue!

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

ATTACHED

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE
1 JAN 73

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

AD-A196 315

THESIS ABSTRACT

THE OHIO STATE UNIVERSITY
GRADUATE SCHOOL

NAME: McKelvey, Timothy Aaron   QUARTER/YEAR: Spring/1987

DEPARTMENT: Chemistry   DEGREE: M.S.

ADVISER'S NAME: Czarnik, Anthony W.

TITLE OF THESIS: RATE ACCELERATION OF THE RETRO DIELS-ALDER
REACTION OF ANTHRACENE CYCLOADDUCTS BY POLYSILOXY
SUBSTITUENTS

The effects of diene substitution on the rate of the retro
Diels-Alder reaction are not well understood. Siloxy substituents
have, however, been shown to increase the rate of cycloreversion.
In an effort to find cycloaddition/cycloreversion systems that are
relatively fast in both directions, polysiloxy anthracenes were
synthesized. The Diels-Alder reactivity (both forward and retro) of
polysiloxyanthracenes with acrylonitrile was investigated and
compared to that of nonsilylated anthracenes. The siloxy
substituents slow the forward reaction moderately and accelerate
the retro reaction significantly. The unexpected slowing of the
forward reaction has been rationalized as being due to ring strain
preventing complete conjugation of oxygen lone pairs. *These, Anthracenes*
(myth)

AW Czarnik
Adviser's Signature

RATE ACCELERATION OF THE RETRO DIELS-ALDER REACTION OF

ANTHRACENE CYCLOADDUCTS BY POLYSILOXY SUBSTITUENTS

A THESIS

Presented in Partial Fulfillment of the Requirements for

the degree Master of Science in the

Graduate School of the Ohio State University

by

Timothy Aaron McKelvey, B.S.

* * * * *

The Ohio State University

1987

Master's Examination Committee: Approved by

Dr. Anthony Czarnik

Dr. Matthew Platz   *AWCzarnik*
                                         _____
                                                  Adviser
                                         Department of Chemistry

DEDICATION

In loving memory of Brian McKelvey and David Finn

ACKNOWLEDGMENTS

DTIC COPY INSPECTED 6

Accession For	
NTIS GRA&I	☑
DTIC TAB	☐
Unannounced	☐
Justification	

By_____

Distribution/

Availability Codes

Dist	Avail and/or Special
A-1	

iii

VITA

1982 ............................B.S.(Chemistry/Geography),South
Dakota State University,
Brookings, South Dakota

1982 - Present .... Commissioned Officer, U.S. Air
Force

FIELD OF STUDY

Major Field: Organic Chemistry

CONTENTS

APPENDICES

LIST OF FIGURES

viii

LIST OF TABLES

LIST OF PLATES

Introduction

This research project is explicitly tied to the Diels-Alder (DA) catalysis cycle for carbonyl transformations.[1] As such, an understanding of the need for, and the basic principles of such a cycle are essential to understanding the nature of this project. Therefore, a fairly extensive desription of this catalytic scheme follows a description of the need to improve the process of carbonyl transformations. Since the DA catalysis cycle utilizes Diels-Alder cycloaddition/cycloreversion systems, a brief overview of the Diels-Alder and retro-Diels-Alder reactions is also provided. Lastly, this part will introduce the author's attempt to fill some vital technology voids.

Background

Acrylamide is a major industrial chemical due to the increasing use of its polymers in surfactant production, waste water treatment, and oil recovery.[2] Carboxamides are generally prepared via hydration of the corresponding nitriles.[2] However, the strongly acidic or basic conditions required also promote hydrolysis of the product carboxamide to the carboxylic acid as well as hydrolysis of other functional groups present.[1,2] Even under forcing conditions,

nitrile hydrations are slow, as are other carbonyl transformations such as alcoholysis of carboxamides to carboxylic esters. An effective catalytic cycle for carbonyl conversions would increase the usefulness of nitriles and carboxamides as synthetic precursors as well as eliminate the problems which occur where such precursors are already used. In 1984, Czarnik introduced a novel catalytic cycle which formally catalyzes the conversion of acrylamide to ethyl acrylate.[1]

DA catalysis cycle for α,β unsaturated carbonyl transformations:

The title catalysis cycle is depicted schematically in Figure 1.[1] The cycle is characterized by Diels-Alder cycloaddition of 9-(2-pyridyl)anthracene (1) and acrylamide to yield ortho adduct (2) and meta adduct (3). Compound 2 undergoes ethanolysis to 4 in the presence of metal ions and refluxing ethanol, whereas 3 does not. Cycloreversion of 4 yields 1 and ethyl acrylate.[1] An extension of this work performed by Nanjappan is depicted in Figure 2.[3] In this case, the ortho adduct (5) of 1 and acrylonitrile is hydrated to a carboxamide adduct (7). Meta adduct (6) remains intact.[3] This phenomenon can be adequately explained in terms of the ability of ortho adducts to chelate metals due to the proximity of the pyridyl nitrogen and nitrile nitrogen (or carbonyl oxygen as the case may be). Ligation thereby polarizes the carbonyl group and facilitates nucleophilic attack.[4]

FIGURE 1 : Diels-Alder catalytic cycle for carbonyl transformations.

FIGURE 2 : Nanjappan modification of the Diels-Alder catalytic cycle.

A current drawback of the DA catalysis cycle is the high temperature required for cyloreversion of adducts following the carbonyl transformation. To be practical, the cycloaddition, carbonyl transformation and cycloreversion must all occur at reasonable rates and temperatures. Data related to cycloreversion temperatures and subtstituent effects are lacking.[5,6]

Apparently, steric interactions play a minor role in the retro-Diels-Alder reaction. Steric bulk dramatically decreases the rates of cycloaddition while only slightly accelerating the cycloreversion.[6,7] This has been rationalized in terms of the late transition state for cycloaddition, and conversely the early transition state for cycloreversion.[6]

Diels-Alder cycloaddition/cycloreversion reactions:

The Diels-Alder (DA) reaction is a $\pi^4 s + \pi^2 s$ electrocyclic reaction. That is, a component with 4π electrons (diene) and a 2π component (dienophile) condense suprafacially to form a cyclohexene moeity as shown in Figure 3. The factors facilitating the Diels-Alder reaction can, in general, be attributed to electron withdrawing substituents on the dienophile and electron donating substituents on dienes.

Anthracenes participate as dienes in the Diels-Alder reaction as shown in Figure 4. Anthracene cycloadditions occur almost exclusively across the 9,10 positions. At elevated temperatures, the adducts cyclorevert in a retro-Diels-Alder reaction to yield the starting anthracene and dienophile.

FIGURE 3 : Diels-Alder reaction scheme (general).

FIGURE 4 : Diels-Alder reaction scheme (anthracene).

The retro-Diels-Alder reaction, a $\pi^2s + \sigma^2s + \sigma^2s$ electrocyclic process, is depicted in Figure 5. Until recently, a systematic study of substituent effects on retro-Diels-Alder (rDA) reaction rates had never been reported.[6] Although Nanjappan noted these cycloreversions were accelerated by electron withdrawing and conjugating substituents, even if highly electron donating,[6] the study only encompassed investigation of substituents on the dienophile component. This research group is currently investigating a wide variety of 9,10-disubstituted anthracenes, and the impact of those substituents on the rate of rDA reactions. Until such information is available further advances will have to be based on what literature precedents are available and chemical intuition.

Literature citings of anionic accelerated rDA reactions appeared in the 1960's and 1970's.[8] In 1980, cycloreversions were accelerated not only by an alkoxy anion, but also by the trimethylsiloxy substituent.[9] Chung's work confirms this phenomenon for adducts of bis-9,10-(trimethylsiloxy)anthracene.[10]

Summary

In order for the DA catalysis cycle to have practical utility, the Diels-Alder reaction must be <u>reversible</u> at reasonable temperatures. More simply, a cycloaddition/cycloreversion equilibrium must be established. For this to occur, the rDA reaction must at least be on the same time scale as the DA reaction at a given temperature. Compound <u>8</u> , bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene, (Figure 6) was proposed as a theoretically

FIGURE 5 : Retro Diels-Alder reaction scheme.

8

FIGURE 6 : Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-
anthracene (8).

interesting molecule which should be synthesized and investigated for DA/rDA reactivity.[11] Cycloaddition was expected to be facile due to the strongly electron donating siloxy substituents and the lack of steric bulk at the reactive site. The heavily siloxy substituted adducts of $\underline{8}$ presented a high potential for facile cycloreversion. The objective of this research project was to synthesize and investigate the Diels-Alder reactivity (both forward and reverse) of polysiloxyanthracenes and the cycloadducts thereof.

CHAPTER I

SYNTHESIS OF POLYSILOXYANTHRACENES

AND RELATED COMPOUNDS

Introduction

Three novel compounds, bis-(di-t-butylsiladioxy)[b,i]-
9,10-dimethylanthracene (8), bis-(di-t-butylsiladioxy)[b,i]-
9,10-diphenylanthracene (9, Figure 7), and the Diels-Alder adduct
(10) of 8 and acrylonitrile were synthesized. Compounds 8 and 10
were synthesized for their potential to provide vital Diels-Alder/
retro Diels-Alder reactivity data for the DA catalysis cycle
discussed previously. The bis-(dimethylsiladioxy) (11A, Figure 8)
and bis- (diphenylsiladioxy) (11B) derivatives of 9,10-dimethyl-
anthracene were also target molecules. The inability to isolate 11B
indicated it and 11A may be too reactive to isolate easily. Thus,
effort was directed solely at synthesizing the di-t-butylsilylene
derivative. Limited successes in the synthesis of 8 lead to the
proposal of 9 as a potentially useful singlet oxygen sponge, as
shown in Figure 9.

9

10

FIGURE 7 : Bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenyl-
anthracene (9) and bis-(di-t-butylsiladioxy)[b,i]-
9,10-dimethyl-11-cyanoethanoanthracene (10).

11 A. R = Me
B. R = Ph

FIGURE 8 : Bis-(dimethylsiladioxy)[b,i]-9,10-dimethylanthracene
(11A) and bis-(diphenylsiladioxy)[b,i]-9,10-dimethyl-
anthracene (11B).

9   **15**

FIGURE 9 : Diels-Alder reaction of Bis-(di-t-butylsiladioxy)-
[b,i]- 9,10-diphenylanthracene with singlet oxygen.

Materials and Methods

Synthesis of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl
anthracene (8̲):

The overall synthesis of 8 is depicted schematically in Figure
10. A combination of procedures from Boldt[12] and Lindsey[13]
yielded 9,10-dimethyl-2,3,6,7-tetramethoxyanthracene (1̲3̲) by
condensing veratrole (1̲2̲) and acetaldehyde in the presence of
sulfuric acid . Cleavage of the four methoxy functions with boron
tribromide[12] worked famously. Thus, the prime starting material,
9,10-dimethyl-2,3,6,7-tetrahydroxyanthracene (1̲4̲), was very readily
accessible.

The silylation of 1̲4̲ to form 8̲ with di-t-butyldichlorosilane
is an extremely clean and high yielding reaction, however, finding
appropriate reaction conditions was not as straightforward as
expected.

Synthesis of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-
11-cyanoethanoanthracene (1̲0̲):

Compound 8̲ is useful for studying the kinetics of the
Diels-Alder reaction. However, an understanding of the retro
Diels-Alder reactivity of adducts of 8̲ was also required if useful
data for the DA catalysis cycle was to be obtained. Thus, the

FIGURE 10 : Synthesis of bis-(di-t-butylsiladioxy)[b,1]-9,10-dimethylanthracene.

title cycloadduct was synthesized. No problems were encountered.
The reaction shown in Figure 11 was carried out in refluxing
acrylonitrile. Butylated hydroxytoluene (BHT, 16) was added as a
radical inhibitor to avoid arylonitrile polymerization.

Synthesis of bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenyl-
anthracene (9):

As mentioned earlier, compound 9 was proposed as a potential
singlet oxygen sponge, or reversible singlet oxygen trap. The
endoperoxide adduct (15) may prove to be a convenient, controllable
chemical source of singlet oxygen.[14] Endoperoxide adducts of
other 9,10-diphenylanthracenes have proven synthetically useful for
this purpose,[15] that is, they thermally decompose to parent
anthracene and singlet oxygen, which can be trapped by singlet
oxygen acceptors.[15] The mechanism of decomposition of 1,4
anthracene endoperoxides is fairly well established as concerted,
whereas debate lingers over the mechanism for decomposition of 9,10
endoperoxides.[15] It appears as though these compounds decompose
via the singlet diradical intermediate ^{1}D shown in Figure
12.[15] At this point the diradical can decompose to parent
anthracene and singlet oxygen or intersystem cross to triplet
diradical ^{3}D which decomposes to parent anthracene and triplet
oxygen. Electron donating groups appear to facilitate the loss of
singlet vs. triplet oxygen.[15] Thus, compound 9 is, potentially, a
very useful tool.

FIGURE 11 : Synthesis of bis-(di-t-butylsiladioxy)[b,1]-
9,10-dimethyl-11-cyanoethanoanthracene.

FIGURE 12 : Proposed mechanism for loss of molecular oxygen
from anthracene endoperoxides.

The synthesis of bis-(di-t-butyldioxasilyl)[b,i]-9,10-diphenyl-anthracene was very straightforward. The reaction scheme in Figure 13 mimicks the synthesis of the related 9,10-dimethyl derivative. The first step is higher yielding for the 9,10-dimethyl derivative, but the last two are virtually the same. Investigations into the reactivity of this compound with singlet oxygen are left to future researchers.

Results and Discussion

Synthesis of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-anthracene (8):

Several unsuccessful attempts to isolate 11B from the reaction of 14 with diphenyldichlorosilane coupled with Corey's citing[16] of the instability of five membered silylene rings indicated attention should be focused primarily on the more stable di-t-butylsilylene derivative.

The temporary nonavailability of di-t-butyldichlorosilane[17] from the manufacturer apeared to be only a momentary setback since a novel silylating agent, di-t-butylsilyl ditriflate,[18] was introduced in 1984.[16] The silylation was run with limited success using this new reagent. Enough product was produced to characterize by [1]H NMR (Plate I) and mass spectrometry (Plate II), but not enough to isolate in a synthetically useful sense.

FIGURE 13 : Synthesis of bis-(di-t-butylsiladioxy)[b,1]-
9,10-diphenylanthracene.

PLATE I : ^{1}H NMR spectrum of compound 8.

PLATE II : Mass Spectrum of compound 8.

Five theories were proposed for the inability to isolate the product from a seemingly straightforward reaction: 1) improperly purified starting material/reagents; 2) hydrolytic instability of product to traces of water in solvents/ atmosphere; 3) thermal oxidation; 4) photooxidation/ photodimerization; and 5) that the starting material had some unexpected lack of reactivity toward silylation. The first two theories were readily discounted as the sole sources of incomplete reaction. Extreme care was taken in purification and drying of starting material, solvents and bases. The possibility of photochemical processes was a primary concern. A 10^{-4} M solution of 9,10-dimethyl-2,3,6,7-tetramethoxyanthracene in freshly degassed chloroform completely decomposes upon exposure to indirect sunlight in less than 45 minutes. ^{1}H NMR of the reaction products indicates simple dimerization is not the only product. Thus, it is possible that degassing was not totally effective. Reaction of anthracenes with singlet oxygen to form endoperoxides (Figure 14) is well documented.[14,19,20,21] At first glance, the concentration of singlet oxygen in solution could not be expected to account for any major decomposition; the fact that anthracenes are photosensitizers could account for an excessively high concentration of singlet oxygen in solution if degassing was not effective. This possibility prompted an expansion of the scope of this project, to include the synthesis of 9, which was discussed earlier. The potential for oxidation, photooxidation and photodimerization was minimized by degassing solvents and protecting the reaction vessel from light.

$^1O_2$

FIGURE 14 : Formation of anthracene endoperoxides.

When these precautions were taken and a significant yield of $\underline{8}$ was

still not achieved, a fundamental change to the reaction was made.

The reaction depicted in Figure 15 was attempted, but to no avail.

About this time, di-t-butyldichlorosilane became available. The

first attempt with this reagent in refluxing acetonitrile[22]

yielded $\underline{8}$ as the only detectable product in 78% yield after

recrystallization. Various repititions show the reaction to be

marvelously consistent with the only yield limitation being the

individual's persistence to recover trace amounts from the mother

liquor following crystallization. The reaction with

di-t-butylsilylditriflate was repeated under identical conditions

and a 0% yield of $\underline{8}$ was obtained.

FIGURE 15 : Unsuccessful synthesis of bis-(di-t-butylsiladioxy)-
[b,1]9,10-dimethylanthracene.

EXPERIMENTAL

General:

All reagents and solvents used were bought from Aldrich
Chemical Company or the Ohio State University stores unless
otherwise noted. Melting points were determined on an
Electrothermal Melting Point Apparatus and are uncorrected. UV
spectra were taken on a Hewlett-Packard 8451A Diode Array
Spectrophotometer. Mass spectra were obtained from the Ohio State
University Chemical Instrument Center by use of a VG-70-250s (or
Kratos MS-30) mass spectrometer. High field NMRs (^{1}H and ^{13}C)
were accomplished on a Bruker 250 MHz machine. Triethylamine was
distilled from potassium hydroxide. Dichloromethane and
acetonitrile solvents wer dried over calcium chloride and calcium
hydride respectively, then distilled from phosphorous pentoxide.

9,10-Dimethyl-2,3,6,7-tetramethoxyanthracene (13):

Reagents and reaction conditions are a combination of those
cited by Boldt[12] and Lindsey.[13] To an ice cooled solution of
veratrole (32 mL, 250 mmol) in acetic acid (125 mL) was slowly
added an ice cooled solution of acetaldehyde (21 mL, 37. mmol) in
methanol (20 mL). The resulting solution was stirred for 1 h.
Concentrated H_2SO_4 (95%, 125 mL) was added dropwise over 90
min. The reaction was stirred at 0°C for 20 h, then poured over

ice water[23] (1400 mL) to give a yellow/pink mixture. A beige solid was collected and crystallized from chloroform and dried to yield 9.13 g (22.4%) of 13, mp> 340°C as pale yellow flakes: ^{1}H NMR (CDCl$_3$) δ 7.47 (s, 4, Ar-H), 4.10 (s, 12, OCH$_3$), 2.95 (s, 6, Ar-CH$_3$); MS m/e 326 (M$^+$, base peak), 327 (M$^+$+1), 311 (M$^+$-CH$_3$), 283 (M$^+$-C$_3$H$_7$), 268 (M$^+$-C$_3$H$_7$-CH$_3$); HRMS m/e 326.1523 (C$_{20}$H$_{22}$O$_4$ requires 326.1518).

9,10-Dimethyl-2,3,6,7-tetrahydroxyanthracene (14):

This compound was prepared by the procedure of Boldt.[12] 9,10-Dimethyl-2,3,6,7-tetramethoxyanthracene (8.0 g, 24.5 mmol) was suspended in freshly dried and distilled dichloromethane (350 mL). Boron tribromide (6.5 mL, 69 mmol) was quickly injected. After 90 min, and several color changes, the reaction mixture reached a greenish yellow color. The crude product was collected as a bright yellow solid and washed with water (2 x 100 mL). The crude product was crystallized from acetic acid and dried in a vaccuum oven for 24 h at 80°C to yield (5.56 g, 84%)[24] of 14, which decomposes without melting 235-250°C, as greenish brown needles: ^{1}H NMR (DMSO-d^6) δ 9.45 very broad (Ar-OH), 7.40 (s, 4, Ar-H), 2.71 (s, 6, Ar-CH$_3$); MS, m/e 270 (M$^+$, base peak), 271 (M$^+$+1), 255 (M$^+$-CH$_3$), 253 (M$^+$-OH), 242 (M$^+$-C$_2$H$_4$), 241 (M$^+$-C$_2$H$_5$), 227 (M$^+$-C$_3$H$_7$); HRMS m/e 270.0886 (C$_{16}$H$_{14}$O$_4$ requires 270.0892).

Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene (8):

9,10-Dimethyl-2,3,6,7-tetrahydroxyanthracene (400.0 mg, 1.48 mmol) was dissolved in freshly dried and distilled acetonitrile (50 mL) in a 100 mL, 3 neck round bottom flask under nitrogen atmosphere. The solution was mixed at room temperature for 15 min. Freshly dried and distilled triethylamine (0.8 mL, 5.74 mmol) was injected and a yellow precipitate immediately formed; the contents were stirred an additional 5 min. Di-t-butyldichlorosilane (0.7 mL, 3.31 mmol) was added dropwise over 5 min and the temperature was increased to gentle reflux for 16 h. The reaction mixture was evaporated under reduced pressure to a dark solid, taken up in chloroform (300 mL), and proportioned between chloroform and sodium bicarbonate/water solution (twice). The chloroform layer was then washed with sodium chloride/water, dried over potassium carbonate, and evaporated under reduced pressure to give a pale yellow-green solid, which was crystallized from chloroform to yield 810 mg (99%) of 8, mp > 340°C as off-white granules: ^{1}H NMR (CDCl$_3$) δ 7.61 (s, 4, Ar-$\underline{H}$), 2.90 (s, 6, Ar-C$\underline{H}_3$), 1.15 (s, 36, C(C$\underline{H}_3$)$_3$); ^{13}C NMR (CDCl$_3$) δ 148.79 ($\underline{C}$-OR), 126.64 (unlabled quaternary Carbon), 124.75 (C-$\underline{C}$-CH$_3$), 104.55 ($\underline{C}$-H), 26.17 [C-($\underline{C}$H$_3$)$_3$], 21.56 [$\underline{C}$-(CH$_3$)$_3$], 14.90 (Ar-$\underline{C}$H$_3$); MS, m/e 550 (M$^+$, base peak), 551 (M$^+$+1), 552 (M$^+$+2), 436 (M$^+$- 2 t-Bu), 322 (M$^+$-4 t-Bu), 57 (t-Bu$^+$); HRMS m/e 550.2942 (C$_{32}$H$_{46}$O$_4$Si$_2$ requires 550.2935).

9,10-Diphenyl-2,3,6,7-tetramethoxyanthracene (<u>15</u>):

To an ice cooled solution of veratrole (32 mL, 250 mmol) in
acetic acid (125 mL) was slowly added an ice cooled solution of
benzaldehyde (25 mL, 246 mmol) in methanol (21 mL). The resulting
solution was stirred in an ice bath for 10 min. Concentrated
H_2SO_4 (95%, 125 mL) was added dropwise over 30 min. The
reaction vessel was kept at 0°C for 20 h, then the contents were
poured over ice water (1000 mL). The bright yellow-green residue
was collected, washed with water (2 x 100 mL), and dissolved in
chloroform. The bright yellow-green solution turned red while
evaporating under reduced pressure. The solution was evaporated to
a red residue. Methanol selectively solublized impurities. A bright
yellow solid was collected from the methanol mixture and was dried
to yield 6.93 g (12.5%) of <u>15</u>, purified by crystalization from
chloroform with a few drops of ethanol: ^{1}H NMR ($CDCl_3$) δ
7.55 (m, 10, Ph-<u>H</u>), 6.82 (s, 4, Ar-<u>H</u>), 3.72 (s, 12, OC<u>H</u>$_3$); MS,
m/e 450 (M$^+$), 451 (M$^+$+1), 436 (M$^+$+1-CH$_3$), 420
(M$^+$+1-OCH$_3$), 228 (base peak); HRMS m/e 450.1829 ($C_{30}H_{26}O_4$
requires 450.1829).

9,10-Diphenyl-2,3,6,7-tetrahydroxyanthracene (<u>16</u>):

9,10-Diphenyl-2,3,6,7-tetramethoxyanthracene (1.69 g, 3.74
mmol) was suspended in freshly dried and distilled dichloromethane
(200 mL). To this mixture was added boron tribromide (1.5 mL,
mmol). The mixture immediately turned dark purple and eventually

turned pale green. A pale green solid was collected and washed with
water (2 x 100 mL). The green paste was crystallized from ethanol
to give 16 (yield undetermined)[25] mp 284-286°C as pale yellow
transparent rhomboids that turn opaque brown upon drying: ^{1}H NMR
(DMSO-d^6) δ 9.4-9.2 very broad (Ar-O$\underline{H}$), 7.50 (m, 10, Ph-$\underline{H}$),
6.65 (s, 4, Ar-$\underline{H}$), 3.4 (q, CH$_3$C$\underline{H}_2$OH), 3.35 (CH$_3$CH$_2$O$\underline{H}$), 1.05
(t, C$\underline{H}_3$CH$_2$OH). Anal. (C$_{26}$H$_{18}$O$_4$ · 2EtOH) Calc. C= 74.06,
H= 6.21, O= 19.73; Found C= 73.76, H= 6.17[26]. MS, m/e 394 (M$^+$,
base peak), 395 (M$^+$+1), 377 (M$^+$-OH), 366 (M$^+$-C$_2$H$_4$); HRMS
m/e 394.1230 (C$_{26}$H$_{18}$O$_4$ requires 394.1205).

Bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenylanthracene (9):

9,10-Diphenyl-2,3,6,7-tetrahydroxyanthracene (16.0 mg, .041
mmol) was dissolved in freshly dried and distilled acetonitrile (5
mL). As triethylamine (.025 mL, 0.16 mmol) was added, the red
solution immediately turned dark. Di-t-butyldichlorosilane (.017
mL, .08 mmol) was injected. The reaction temperature was increased
to gentle reflux for 20 h. The orange reaction mixture was
evaporated to dryness under reduced pressure, taken up in
chloroform (100 mL) and extracted twice with sodium
bicarbonate/water solution (100 mL). The chloroform layer was then
washed with sodium chloride/water solution (100 mL) and dried over
potassium carbonate. The chloroform layer was then evaporated under
reduced pressure to a yellow solid which was crystallized from
carbon tetrachloride, yield and melting point undetermined:^{1}H NMR

(CDCl$_3$) δ 7.50 (m, 10, Ph-H̲), 6.94 (s, 4, Ar-H̲), 1.07 (s, 36,

C(CH̲$_3$)$_3$); MS, m/e 674 (M$^+$, base peak), 675 (M$^+$+1), 560

(M$^+$-2 t-Bu), 446 (M$^+$-4 t-Bu), 57 (t-Bu$^+$); HRMS m/e 674.3253

(C$_{42}$H$_{50}$O$_4$Si$_2$ requires 674.3248).

9,10-Dimethyl-11-cyanoethanoanthracene (27̲):

9,10-Dimethylanthracene (181.5 mg, 87.9 mmol) was placed in a

glass pressure tube with acrylonitrile (10 mL) and

2,6-di-t-butyl-4-methylphenol (2 crystals) to inhibit acrylonitrile

polymerization. The pressure tube was sealed, wrapped in aluminum

foil and warmed in an oil bath at 50°C for 21 h. The resulting

solution was evaporated to dryness, crystallized from ethanol and

dried to yield 206.3 mg (98.6%) of 27̲, mp 143-146°C as colorless

crystals: ^{1}H NMR (CDCl$_3$) δ 7.3 (m, 8, Ar-H̲), 2.75 (dd, 1,

NC-C-H̲), 2.17 (s, 3, NC-C-C-CH̲$_3$), 2.11 (dd, 1, NC-C-CH̲ cis to

CN), 1.98 (s, 3, NC-C-C-C-CH̲$_3$), 1.46 (dd, 1, NC-C-CH̲ trans to

CN), 1.52 (s, H̲$_2$O).

9,10-Dimethyl-2,3,6,7-tetramethoxy-11-cyanoethanoanthracene

(26̲):

9,10-Dimethyl-2,3,6,7-tetramethoxyanthracene (30.45 mg, .093

mmol) was added to a glass pressure tube along with acrylonitrile

(10 mL) and 2,6-di-t-butyl-4-methylphenol (2 crystals). The

pressure tube was sealed, wrapped in aluminum foil and placed in an

oil bath at 84°C for 21 h. The resulting solution was evaporated

to dryness under reduced pressure and crystallized from isopropanol

to yield 29.4 mg (83%) of 26, mp 162-165°C as off white

granules: [1]H NMR (CDCl$_3$) δ 6.88 (overlapping singlets, 4,

Ar-$\underline{H}$), 3.88 (overlapping singlets, 12, OC$\underline{H}_3$), 2.72 (dd, 1,

NC-C$\underline{H}$), 2.14 (s, 3, NC-C-C-C$\underline{H}_3$), 2.07 (dd, 1, NC-C-C$\underline{H}$ cis to CN),

1.96 (s, 3, NC-C-C-C-C$\underline{H}_3$), 1.86 (dd, 1, NC-C$\underline{H}$ trans to CN); MS,

m/e 379 (M$^+$), 380 (M$^+$+1), 326 (M$^+$-acrylonitrile), 311

(M$^+$-acrylonitrile-CH$_3$), 283 (M$^+$- acrylonitrile - C$_3$H$_7$),

69 (base peak); HRMS m/e 379.1774 (C$_{23}$H$_{25}$NO$_4$ requires

379.1783).

Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethano-
anthracene (10):

Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene (231 mg,

.42 mmol) was added to a pressure tube with acrylonitrile (10 mL)

and 2,6-di-t-butyl-4-methylphenol (2 crystals). The pressure tube

was sealed and wrapped in aluminum foil and placed in an oil bath

at 85°C for 44 h. The resulting orange solution was evaporated

under reduced pressure to an orange oil. The oil was taken up in a

minimal amount of hot carbon tetrachloride. Upon cooling,

impurities precipitated out. The orange mixture was eluted through

a Celite plug with carbon tetrachloride and the filtrate was

evaporated to yield 213 mg (84.1%) of 10 which partially melts and

resolidifies from 106-116°C as a pale orange solid: [1]H NMR

(CDCl$_3$) δ 7.0-6.8 (overlapping singlets, 4, Ar-$\underline{H}$), 2.65 (dd,

1, NC-C$\underline{H}$), 2.05 (s, 3, Ar-C$\underline{H}_3$ overlapping dd, 1, NC-C-C$\underline{H}$ cis to

CN), 1.80 (s, 3, Ar-C$\underline{H}_3$ overlapping dd, 1, NC-C-C$\underline{H}$ trans to CN),

1.15-1.0 overlapping singlets, 36, C(C$\underline{H}_3$)$_3$), MS, m/e 603

(M$^+$), 604 (M$^+$+1), 550 (M$^+$- acrylonitrile, base peak), 436

(M$^+$- acrylonitrile - 2 t-Bu), 322 (M$^+$- acrylonitrile - 4 t-Bu),

57 (t-Bu$^+$); HRMS m/e 603.3200 (C$_{35}$H$_{49}$NO$_4$Si$_2$ requires

603.3201).

CHAPTER II

DIELS-ALDER REACTIVITY

OF POLYSILOXYANTHRACENES AND RELATED COMPOUNDS

Introduction

In order to test for acceleration/deceleration of the
Diels-Alder reaction by polysiloxy substituents, reaction rates for
the Diels-Alder reactions of $\underline{8}$, $\underline{13}$, and $\underline{17}$ (9,10-dimethyl-
anthracene, Figure 16) were determined.

Materials and Methods

Diels-Alder reactions of bis-(di-t-butylsiladioxy)[b,i]-
9,10-dimethylanthracene ($\underline{8}$):

Kinetic runs for the Diels-Alder reaction of bis-(di-t-butyl-
siladioxy)[b,i]-9,10-dimethylanthracene were conducted at room
temperature. 9,10-Dimethyl-2,3,6,7-tetramethoxyanthracene and 9,10-
dimethylanthracene were used as comparison compounds. The
dienophiles used were: acrylonitrile ($\underline{18}$, Figure 17), maleimide
($\underline{19}$), N-methylmaleimide ($\underline{20}$), and N-phenylmaleimide ($\underline{21}$).

Since the parent anthracenes absorb radiation in the near
ultraviolet (uv) region and the cycloadducts do not, reaction

17

FIGURE 16 : 9,10-dimethylanthracene (17).

18   **19**   **20**   **21**

FIGURE 17 : Dienophiles used in Diels-Alder kinetic studies.

kinetics were easily monitored spectrophotometrically. In accordance with Beer's law, uv absorption is directly proportional to the concentration of absorbing material. Thus, a logrithmic plot of absoption [ln (D_t)] versus time (t) is linear with slope equal to the negative of the rate constant k_{obs}. All reactions were run under psuedo-first order conditions, therefore the rate equation is: $r = k_{obs}$ [diene] $= k_2$ [diene] [dienophile], where k_2 is the true second order rate constant. Since the concentration of dienophile is much greater than the concentration of diene, the dienophile concentration remains virtually unchanged throughout the reaction. Thus, $k_2 = k_{obs}$ / [dienophile]. A typical Diels-Alder kinetic plot is shown in Plate III.

Results and Discussion

Diels-Alder reactivity of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene:

All three anthracene derivatives are quite reactive toward cycloaddition. Second order rate constants for the reaction of each anthracene with acrylonitrile are given in Table 1. Surprisingly, electron donating groups in the 2,3,6,7 positions lessen the reactivity of 9,10-dimethyanthracene toward cycloaddition. An even more unexpected result is that the highly electron donating siloxy substituent does not slow the reaction as much as the lesser donating methoxy function.

Kinetic data for the reaction of the anthracenes with the

PLATE III : Typical kinetic plot of a Diels-Alder reaction.

TABLE 1

Second order rate constants for the Diels-Alder reaction of
compounds 8, 13, and 17 with acrylonitrile at 25°C.

compd	% of reaction used to calc. rate constants	# of data points	correlation coefficient	$k_2, M^{-1}s^{-1}$ 10^7
17	1-90	9	.999	16.67
8	1-90	16	.998	3.98
13	1-44	10	.999	1.06

TABLE 2

Second order rate constants for the Diels-Alder reaction of
compounds 8, 13, and 17 with maleimide at 25°C.

compd	% of reaction used to calc. rate constants	# of data points	correlation coefficient	$k_2, M^{-1}s^{-1}$ 10^3
17	1-70	6	.999	24.83
8	1-93	13	.999	3.07
13	1-60	8	.996	1.69

TABLE 3

Second order rate constants for the Diels-Alder reaction of
compounds 8, 13, and 17 with N-methylmaleimide at 25°C.

compd	% of reaction used to calc. rate constants	# of data points	correlation coefficient	$k_2, M^{-1}s^{-1}$ 10^3
17	1-95	7	.993	85.17
8	1-90	10	.999	9.27
13	1-90	5	.990	5.98
17[a]	1-75	6	.999	124
8[a]	1-50	5	.998	11.6

[a] Reaction conducted in heptane solvent (not chloroform).

TABLE 4

Second order rate constants for the Diels-Alder reaction of
compounds 8, 13, and 17 with N-phenylmaleimide at 25°C.

compd	% of reaction used to calc. rate constants	# of data points	correlation coefficient	k_2, $M^{-1}s^{-1}$ 10^3
17	1-97	12	.996	63.33
8	1-90	13	.999	2.57
13	1-90	7	.999	3.74

TABLE 5

Relative Diels-Alder reactivities of compounds 8, 13, and
17 vs various dienophiles.

Dienophile	Compound		
	8	13	17
acrylonitrile	1.00	0.27	4.19
maleimide	1.00	0.55	8.09
N-methylmaleimide	1.00	0.65	9.18
N-phenylmaleimide	1.00	1.46	24.64

maleimide series are given in Tables 2-4. Again, it was confirmed

that 9,10-dimethylanthracenes with electron releasing groups in the

2,3,6,7 positions react slower than 9,10-dimethylanthracene itself,

and the siloxy substituent slows the reaction less than the methoxy

function. However, it was not surprising to find a decrease in the

relative reactivy of the siloxy compound as the bulkiness of the

dienophile increased. The relative reactivity of the tetramethoxy

compound vs 9,10-dimethylanthracene remained virtually constant

throughout the series of dienophiles. Relative reactivities were

determined for each series of reactions by dividing $k_2(x)$ by

$k_2(8)$, where $k_2(x)$ is the second order rate constant of

reaction for compound x ($\underline{8}$,$\underline{13}$ or $\underline{17}$) and $k_2(8)$ is the rate

constant for compound $\underline{8}$. These data are displayed in Table 5, and

clearly indicate a steric factor in the Diels-Alder reaction for

the bis-(di-t-butylsiladioxy) substituted compound. That is, the

t-butyl groups interfere with the approch of the dienophile,

thereby slowing the reaction. As the dienophile subtituents grow in

bulk, the relative reactivity of compound $\underline{8}$ decreases. However, the

steric factor (of the methoxy groups) cannot be responsible for the

lesser reactivity of $\underline{13}$ compared to $\underline{17}$ since the relative

reactivity of $\underline{13}$ compared to $\underline{16}$ remains constant.

Two rationalizations were developed to account for the

reactivity order, the first of which is more plausible in the

author's estimation:

1. Steric interactions between the methoxy methyls and

each other as well as the 1,4,5,8 protons do not allow the

methoxy oxygen to attain a conformation (at room temperature)

in which it can con_ _e with the anthracene ring. Thus, the
methoxy groups are net electron withdrawers due to the
inductive effect of oxygen. The proposed steric interactions
are shown in Figure 18.

In the siladioxy compound, the ring strain associated with
a five membered ring allows the siloxy oxygen lone pairs to
conjugate, but only partially. Thus, the siloxy functions
provide a net electron withdrawing effect, but to a lesser
extent than methoxy.

2. There are two possible mechanisms of reaction,
concerted and dipolar. 9,10-Dimethylanthracene reacts via one
mechanism, the related siloxy compound reacts via the other,
and the methoxy compound may be reacting via either. A dipolar
mechanism suggests a polar transition state which can be
stablized by polar solvents. This theory implies there should
be a significant change in the reactivity of 8 vs 17 when
shifting from a polar solvent to nonpolar. As Table 3
indicates, there is no significant change,thus, the
practicality of this theory is questionable.

Diels-Alder reactivity of bis-(di-t-butylsiladioxy)-9,10-
diphenylanthracene (9):

Bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenylanthracene was
tested for its Diels-Alder reactivity. As expected, it showed no
signs of reacting with N-methylmaleimide after eight days at room
temperature.

FIGURE 18 : Potential steric interactions in 9,10-dimethyl-
2,3,6,7-tetramethoxyanthracene.

Experimental

General:

All dilutions were made using volumetric gassware. All reactions were run at room temperature (24.5°C). All plots were made using LSTSQ least squares program.

Diels-Alder reactions of $\underline{8}$, $\underline{13}$, and $\underline{17}$ with acrylonitrile:

Each anthracene derivative was dissolved in deoxygenated chloroform. The concentration of each solution was adjusted such that a uv absorbance of approximately 1.7 was obtained for the most prominent peak. Each anthracene solution (10.0 mL) was diluted with acrylonitrile (10.0 mL) in a foil wrapped, glass stoppered flask. Each solution was then well mixed, and an initial uv absorption measurement was taken. UV measurements were taken periodically (vs 1:1 chloroform/arylonitrile reference) until the absorbance dropped to 0. The observed rate constant k_{obs} was determined by taking the negative of the slope of the plot ln (D_t) vs t where D_t is the absorption at time t. The second order rate constant, k_2, was calculated from the equation $k_2 = k_{obs}/$ [acrylonitrile], where [acrylonitrile] is the initial concentration of acrylonitrile.

Diels-Alder reaction of $\underline{8}$, $\underline{13}$, and $\underline{17}$ with maleimide:

A stock solution (1.008×10^{-4} M in chloroform) of each anthracene derivative was prepared, as well as a stock solution of maleimide (5.02×10^{-3} M in chloroform). To each anthracene solution (10.0 mL) was added maleimide solution (10.0 mL) in a foil wrapped, glass stoppered flask. Reaction solutions were well mixed and initial uv spectra immediately taken. UV spectra were periodically taken (vs 2.51×10^{-3} M maleimide in chloroform reference) until the most prominent peak decreased to 0. The observed and second order rate constants were determined in the same manner as the acrylonitrile experiment above.

Diels-Alder reaction of $\underline{8}$, $\underline{13}$, and $\underline{17}$ with N-methylmaleimide:

A stock solution (1.008×10^{-4} M in chloroform) of each anthracene derivative was prepared, as well as a stock solution of N-methylmaleimide (5.02×10^{-3} M in chloroform). To each anthracene solution (10.0 mL) was added N-methylmaleimide solution (10.0 mL) in a foil wrapped, glass stoppered flask. Reaction solutions were well mixed and initial uv spectra immediately taken. UV spectra were periodically taken (vs 2.51×10^{-3} M N-methylmaleimide in chloroform reference) until the most prominent peak decreased to 0. The observed and second order rate constants were determined in the same manner as the acrylonitrile experiment above.

Diels-Alder reaction of $\underline{8}$, $\underline{13}$, and $\underline{17}$ with N-phenylmaleimide:

A stock solution (1.008×10^{-4} M in chloroform) of each anthracene derivative was prepared, as well as a stock solution of N-phenylmaleimide (5.02×10^{-3} M in chloroform). To each anthracene solution (10.0 mL) was added N-phenylmaleimide solution (10.0 mL) in a foil wrapped, glass stoppered flask. Reaction solutions were well mixed and initial uv spectra immediately taken. UV spectra were periodically taken (vs 2.51×10^{-3} M N-phenylmaleimide in chloroform reference) until the most prominent peak decreased to 0. The observed and second order rate constants were determined in the same manner as the acrylonitrile experiment above.

Diels-Alder reaction of $\underline{8}$ with N-methylmaleimide (heptane solvent):

A stock solution (1.26×10^{-4} M in n-heptane) of $\underline{8}$ was prepared, as well as a stock solution of N-methylmaleimide (7.88×10^{-4} M in n-heptane). To the anthracene solution (3.0 mL) was added N-methylmaleimide solution (20.0 mL) in a foil wrapped, glass stoppered flask. The reaction solution was well mixed and an initial uv spectrum immediately taken. UV spectra were periodically taken (vs 20:3 N-methylmaleimide: n-heptane reference) until the most prominent peak decreased to 0. The observed and second order rate constants were determined in the same manner as the acrylonitrile experiment above.

Diels-Alder reaction of 17 with N-methylmaleimide (heptane

solvent):

A stock solution (1.72×10^{-4} M in n-heptane) of 17 was

prepared, as well as a stock solution of N-methylmaleimide ($7.88 \times$

10^{-4} M in n-heptane). To the anthracene solution (3.0 mL) was

added N-methylmaleimide solution (20.0 mL) in a foil wrapped, glass

stoppered flask. The reaction solution was well mixed and an

initial uv spectrum immediately taken. UV spectra were

periodically taken (vs 20:3 N-methylmaleimide: n-heptane

reference) until the most prominent peak decreased to 0. The

observed and second order rate constants were determined in the

same manner as the acrylonitrile experiment above.

CHAPTER III

RETRO DIELS-ALDER REACTIVITY OF

POLYSILOXYANTHRACENE CYCLOADDUCTS AND RELATED COMPOUNDS

Introduction

Reaction rates for the decomposition of the Diels-Alder adducts of $\underline{8}$, $\underline{13}$, and $\underline{17}$ with acrylonitrile were determined. The effect of electron donating groups in the 2,3,6,7 positions is acceleration of the retro Diels-Alder reaction.

Materials and Methods

Retro Diels-Alder reactivity of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethanoanthracene ($\underline{10}$):

The cycloadducts of $\underline{8}$ ($\underline{10}$), $\underline{13}$ ($\underline{26}$, Figure 19), and $\underline{16}$ ($\underline{27}$, Figure 20) with acrylonitrile were decomposed in phenyl ether at 200°C, and the formation of the parent anthracene was monitored spectrophotometrically. The unimolecular rate constant k_1 was determined from the plot of $\ln (D_\infty - D_t)$, where D_∞ is the absorption at $t = \infty$ and D_t is the absorption at time t, versus time. k_1 is the negative of the slope of the resulting line. A typical plot is shown in Plate IV.

26

FIGURE 19 : 9,10-dimethyl-2,3,6,7-tetramethoxy-11-cyanoethanoanthracene (26).

27

FIGURE 20 : 9,10-dimethyl-11-cyanoethanoanthracene (27).

PLATE IV : Typical kinetic plot of a retro Diels-Alder reaction.

Due to concurrent decomposition of the newly formed anthracene under the reaction conditions, D_∞ values were calculated. A control experiment, in which the parent anthracene was subjected to the reaction conditions, indicated no significant error would be introduced if the reaction were followed for the first half life. In practice, only the first 20-40% of each reaction was used to calculate k_1.[27] Values for the rate constants and reaction half lives ($t_{1/2}$) are depicted in Table 6. Reaction half lives were determined by $t_{1/2}= \ln2/ k_1$. A significant rate acceleration due to substituents in the 2,3,6,7 positions was noted.

Results and Discussion

Retro Diels-Alder reactivity of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethanoanthracene (10):

The kinetic data in Table 6 show a very significant rate acceleration of the rDA reaction due to alkoxy and siloxy substituents in the 2,3,6,7 positions. Compound 10 undergoes the cycloreversion 19 times as fast as the adduct of 9,10-dimethylanthracene; the adduct of 13 cycloreverts at 14 times the rate. The order of reactivity is exactly as expected based upon electron donating capabilities.

TABLE 6

First order rate constants of Retro-Diels-Alder Reactions of
Cycloadducts 10, 26, and 27 in diphenyl ether at 200°C.

comp	% of reaction used to calculate rate constants	# of data points	correlation coefficient	k_1, sec^{-1} 10^4
27	1-23	12	.994	0.24
10	1-37	16	.999	4.52
26	1-39	23	.999	3.32

Experimental

General:

All retro Diels-Alder reactions were run at 200°C. Reaction temperatures were maintained at 200 ± .5°C by Therm-O-Watch LG-1000 SS temperature controller. All reactions were run in 100 mL 3 neck round bottom flasks fitted with capped distilling column, thermometer and glass stopper. Transfers and dilutions were accomplished using volumetric glassware.

Retro Diels-Alder reaction of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethanoanthracene (10):

Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethano-anthracene (13.60 mg, 2.25×10^{-2} mmol) was dissolved in 4.0 mL diphenyl ether. An aliquot (1.0 mL) of this solution was added to diphenyl ether (74.0 mL) which had previously been equilibrated to 200 °C. The uv absorption at 378 nm, due to the formation of 8, was followed spectrophotometrically for 16 min (36% reaction). Based upon the absorption of bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene in phenyl ether, the absorption at $t = \infty$ (D_∞) was calculated to be 0.9711. For each measured absorption (D_t), the value $\ln (D_\infty - D_t)$ was determined and plotted vs time t (min). k_1, the unimolecular decomposition constant was determined as the negative of the slope of the

resulting straight line. The reaction half life, $t_{1/2}$ was

determined from $t_{1/2} = .693/ k_1$.

Retro Diels-Alder reaction of 9,10-Dimethyl-2,3,6,7-tetra-

methoxy-11-cyanoethanoanthracene (26):

9,10-Dimethyl-2,3,6,7-tetramethoxy-11-cyanoethanoanthracene

(10.00 mg, 2.63×10^{-2} mmol) was dissolved in 4.0 mL diphenyl

ether. An aliquot (1.0 mL) of this solution was added to diphenyl

ether (74.0 mL) which had previously been equilibrated to

200 °C. The uv absorption at 378 nm, due to the formation of 13,

was followed spectrophotometrically for 24 min (39% reaction).

Based upon the absorption of 9,10-dimethyl-2,3,6,7-tetramethoxy-

anthracene in phenyl ether, the absorption at $t = \infty$ (D_∞)

was calculated to be 0.8836. For each measured absorption (D_t),

the value $\ln (D_\infty - D_t)$ was determined and plotted vs time t

(min). k_1, the unimolecular decomposition constant was determined

as the negative of the slope of the resulting straight line. The

reaction half life, $t_{1/2}$ was determined from $t_{1/2} = .693/ k_1$.

Retro Diels-Alder reaction of 9,10-Dimethyl-11-cyano-

ethanoanthracene (27):

9,10-Dimethyl-11-cyanoethanoanthracene (8.02 mg, 3.09×10^{-2}

mmol) was dissolved in 5.0 mL diphenyl ether. An aliquot (1.0 mL)

of this solution was added to diphenyl ether (74.0 mL) which had

previously been equilibrated to 200 °C. The uv absorption at 378

nm, due to the formation of $\underline{17}$, was followed spectrophotometrically

for 175 min (23% reaction). Based upon the absorption of

9,10-dimethylanthracene in phenyl ether, the absorption at $t = \infty$

(D_∞) was calculated to be 0.8474. For each measured

absorption (D_t), the value ln ($D_\infty - D_t$) was determined and

plotted vs time t (min). k_1, the unimolecular decomposition

constant was determined as the negative of the slope of the

resulting straight line. The reaction half life, $t_{1/2}$ was

determined from $t_{1/2} = .693/ k_1$.

CHAPTER IV

CONCLUSIONS AND RECOMMENDATIONS

Introduction

The effect on the Diels-Alder reactivity of electron donating groups in the 2,3,6,7 positions of 9,10-dimethylanthracene has been investigated. The results were surprising initially, but can be rationalized. Such a rationalization is provided below. A series of experiments is required to conclude the rationalization is valid. The recommendations section provides several alternatives which can provide evidence for/against this rationalization. If the rationalization appears to be valid, the recommended experiments will also provide valuable information for the DA catalysis cycle.

The effect on the retro Diels-Alder reactivity of electron donating groups in the 2,3,6,7 positions of 9,10-dimethyl-11-cyanoethanoanthracene was investigated. The resulting acceleration due to methoxy and siloxy substitution was expected. The reactivity order is not necessarily inconsistent with results of the forward Diels-Alder reaction. Again, several experiments could be conducted to determine the nature of siloxy and alkoxy substituents in the 2,3,6,7 positions, and there effect on DA/rDA reactivity.

The conclusions and recommendations are numbered sequentially with respect to the particular chapter of this thesis from which they were drawn.

Conclusions

I-1. Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene was synthesized.

I-2. Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-11-cyanoethanoanthracene was synthesized.

I-3. Bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenylanthracene was synthesized.

II-1. The relative reactivity order for the Diels-Alder reaction of 9,10-dimethyl-2,3,6,7-tetramethoxyanthracene vs 9,10-dimethylanthracene is not consistent with the methoxy groups acting as electron donating substituents.

II-2. The extreme decrease in reactivity due to methoxy substitution can be rationalized as being due to intramolecular steric interactions which preclude the methoxy lone pairs from conjugating with the anthracene ring. Thus, oxygen's inductive effect makes the methoxy group electron withdrawing.

II-3. The relative reactivity order for the Diels-Alder
reaction of bis-(di-t-butylsiladioxy)[b,i]-
9,10-dimethylanthracene vs 9,10-dimethylanthracene is
not consistent with the siladioxy substituents acting as
electron donating functions.

II-4. The moderate decrease in the reactivity of compound $\underline{8}$ vs
9,10-dimethylanthracene can be rationalized as being due
to siloxy oxygen lone pairs only partially conjugating
with the anthracene ring. The ring strain associated
with a planar five membered ring may not allow the
oxygens to fully donate electrons by resonance. Thus,
inductive and resonance effects compete, making the
siloxy compound intermediate in its reactivity.

II-5. It does not appear the difference in reactivities is due
to a difference in mechanism of reaction.

II-6. Bis-(di-t-butylsiladioxy)[b,i]-9,10-diphenylanthracene
may not be as useful as expected since the same
arguments made above may apply.

III-1. The relative reactivities of compounds $\underline{10}$ $\underline{26}$, and $\underline{27}$
in the retro Diels-Alder reaction are consistent with
methoxy and siladioxy subtituents acting as electron
donating functions.

III-2. Conclusion III-1 is not necessarily incompatible with conclusion II-1.

III-3. The apparent dichotomy between conclusions III-1 and II-1 can be rationalized as follows: At elevated temperatures (i.e. 200°C) a significantly higher proportion of higher energy conformations may exist. Thus, both the methoxy and siladioxy groups may conjugate and thereby give rise to significant rate accelerations of the retro Diels-Alder reaction.

Recommendations

I-1. For silylations similar to the synthesis of **8**, use di-t-butyldichlorosilane preferentially over the corresponding ditriflate.

I-2. Investigate the use of 3,3',4,4'-tetramethoxydiphenyl-ethane (**28**, Figure 21) as a starting material over veratrole if large scale syntheses of compound **13** or its derivatives are desired.

II-1. Perform temperature dependency studies of the relative reactivity of 9,10-dimethyl-2,3,6,7-tetramethoxy-anthracene. If the rationalizations presented above

FIGURE 21 : 3,3',4,4'-tetramethoxydiphenylethane (28).

hold, the relative rectivity should increase with an increase in temperature.

II-2. Synthesize compound 29 (Figure 22) and investigate its Diels-Alder reactivity with respect to 9,10-dimethylanthracene. This compound should not have the steric or ring strain problems discussed earlier. A relative reactivity greater than that of compound 17 would support the rationalization of steric interactions. A relative reactivity greater than that of compound 10 would support the ring strain rationalization.

II-3. If recommendations II-1 and II-2 are carried out and show promise in approaching or exceeding the Diels-Alder reactivity of 9,10-dimethylanthracene, synthesize and investigate the reactivity of compound 30, Figure 23.

II-4. If recommendations II-1 and II-2 show no promise in approaching the reactivity of 9,10-dimethylanthracene, conduct DA kinetic studies (compound 8 vs 17) in a highly polar solvent such as dimethylformamide. Perhaps a change in mechanism will be indicated.

II-5. If none of the above recommendations prove fruitful, synthesize and investigate the D.A. reactivity of

29

FIGURE 22 : Bis-(1,4-dioxacyclohexa)[b,i]-9,10-dimethyl-
anthracene (29).

30

FIGURE 23 : Bis-(N,N-dimethyl-1,4-diazacyclohexa)[b,i]-
9,10-dimethylanthracene (30).

compounds 31 (Figure 24) and 32 (figure 25) vs

anthracene. Any "unusual" effects due to 9,10-dimethyl

substitution would be eliminated.

II-6. If recommendations II-1 through II-3 show promise,

undertake a similar approach for the 9,10-diphenyl

derivative when investigating its ability to undergo

reversible $^1O_2$ addition.

II-7. Compare the ^{13}C NMR chemical shifts of the 9,10

carbons in compound 8 vs 17. Since the chemical shift is

directly related to electron density,[28] the electron

donating vs withdrawing characteristics of the siladioxy

groups should be seen.

III-1. Convert 9,10-dimethyl-2,3,6,7-tetramethoxy-11-cyano-

ethanoanthracene to compound 33 (Figure 26).

III-2. Investigate the rDA reactivity of 33. Reactivity on the

order of, or significantly greater than that of the

siladioxy compound will support previous

rationalizations.

FIGURE 24 : 2,3,6,7-tetramethoxyanthracene (31).

FIGURE 25 : Bis-(di-t-butylsiladioxy)[b,i]-anthracene (32).

FIGURE 26 : 2,3,6,7-tetrahydroxy-9,10-dimethyl-11-
cyanoethanoanthracene (33).

III-3. If recommendations II-3 and III-2 show promise:

    a. continue with recommendation II-4.

    b. Synthesize DA adducts of compounds 29 and 30.

    c. Investigate the rDA reactivities of the cycloadducts

of 29 and 30.

APPENDIX A

NOMENCLATURE

Substituted anthracenes are named based upon the numbering system shown in Figure 27. Thus, structure 34 in Figure 28 would be named 1,4-dichloro-5,8-dimethylanthracene. Anthracenes with fused rings are named based upon the lettering system shown in Figure 29. Benz[a]-anthracene would thus be the name for compound 35 in Figure 30.

Organosilicon compounds have no accepted IUPAC nomenclature system[29]. A simple informal nomenclature system is in common use and is quite practical[29]. Ambiguities are minimized by naming substituted organic fragments, then alkoxy fragments, then halogen fragments followed by "silane" for tetravalent silicon atoms[29]. "silyl" and "siloxy", for R_3Si- and R_3SiO- respectively, are used instead of "silane" when the silicon function is a substituent of a more significant moiety. Thus, compound 8 (Figure 31) is named: bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethylanthracene

bis-.......................... 2 groups

(di-t-butylsiladioxy)........ "oxy ending"

[b,i]......................... fused across b and i sides

9,10-dimethylanthracene....... more significant moiety

FIGURE 27 : Numerically labelled anthracene

34

FIGURE 28 : 1,4-dichloro-5,8-dimethylanthracene (34).

FIGURE 29 : Alphabetically labelled anthracene.

35

FIGURE 30 : Benz[a]-anthracene (35).

8

FIGURE 31 : Bis-(di-t-butylsiladioxy)[b,i]-9,10-dimethyl-
anthracene (8).

APPENDIX B

DATA RELATIVE TO CHAPTER I

PLATE V : ^{1}H NMR spectrum of compound 10.

PLATE VI : Mass Spectrum of compound 10.

PLATE VII : ^{1}H NMR spectrum of compound 9.

PLATE VIII : Mass Spectrum of compound 9.

PLATE IX : CPK space filling model of compound 8.

PLATE X : CPK space filling model of compound 10.

APPENDIX C

DATA RELATIVE TO CHAPTER II

TABLE 7 : LSTSQ data for the Diels-Alder reaction of

compound 8 with acrylonitrile.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u           INPUT v            RESIDUAL IN INPUT v

  1      .000000E+00      -.293700E-01         .151674E+00
  2      .892000E+03      -.380590E+00        -.266771E-02
  3      .116400E+04      -.461980E+00        -.228035E-01
  4      .129200E+04      -.495570E+00        -.275679E-01
  5      .145800E+04      -.518350E+00        -.129648E-01
  6      .234200E+04      -.728690E+00        -.242286E-01
  7      .288500E+04      -.864710E+00        -.379655E-01
  8      .375500E+04      -.103030E+01        -.763179E-02
  9      .536700E+04      -.138940E+01        -.391033E-02
 10      .571100E+04      -.149800E+01        -.348417E-01
 11      .664200E+04      -.168390E+01        -.110811E-01
 12      .806300E+04      -.202660E+01        -.337727E-01
 13      .876300E+04      -.221210E+01        -.616331E-01
 14      .952900E+04      -.230560E+01         .173696E-01
 15      .100670E+05      -.243850E+01         .542692E-02
 16      .109230E+05      -.253050E+01         .106398E+00
Intercept   = -.177044E+00   std. dev.:  .240193E-01
Slope       = -.225199E-03   std. dev.:  .394658E-05
corr. coef. =  .997857
```

TABLE 8 : LSTSQ data for the Diels-Alder reaction of

compound 13 with acrylonitrile.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u           INPUT v            RESIDUAL IN INPUT v

  1      .000000E+00       .134370E+00        -.167774E-02
  2      .870000E+03      -.692980E+00        -.725875E-02
  3      .114100E+04      -.963980E+00        -.222827E-01
  4      .126800E+04      -.108143E+01        -.197733E-01
  5      .143400E+04      -.122139E+01        -.313608E-02
  6      .231800E+04      -.204365E+01         .974658E-02
  7      .286100E+04      -.252829E+01         .380537E-01
  8      .373100E+04      -.332371E+01         .644024E-01
  9      .534300E+04      -.476887E+01        -.581239E-01
Intercept   = -.136048E+00   std. dev.:  .212372E-01
Slope       = -.944562E-03   std. dev.:  .810780E-05
corr. coef. =  .999742
```

TABLE 9 : LSTSQ data for the Diels-Alder reaction of

compound 17 with acrylonitrile.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u           INPUT v            RESIDUAL IN INPUT v

  1      .000000E+00      -.771580E+00        -.979876E-02
  2      .976000E+03      -.815480E+00         .467131E-02
  3      .114500E+04      -.831260E+00         .218400E-03
  4      .149600E+04      -.852970E+00        -.168923E-02
  5      .243000E+04      -.906700E+00         .458151E-03
  6      .267200E+04      -.915440E+00         .619602E-02
  7      .292200E+04      -.940240E+00        -.364751E-02
  8      .385200E+04      -.990830E+00         .130097E-02
  9      .476200E+04      -.115421E+01         .121139E-01
 10      .973000E+04      -.135381E+01        -.992285E-02
Intercept   = -.761781E+00   std. dev.:  .347294E-02
Slope       = -.598299E-04   std. dev.:  .815493E-06
corr. coef. =  .999288
```

TABLE 10 : LSTSQ data for the Diels-Alder reaction of

compound 8 with maleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.000000E+00	-.456570E+00	.168472E-01
2	.300000E+02	-.494400E+00	-.715122E-02
3	.620000E+02	-.516790E+00	-.147875E-01
4	.119000E+03	-.535950E+00	-.766749E-02
5	.202000E+03	-.568660E+00	-.211009E-02
6	.294000E+03	-.594540E+00	.144268E-01
7	.125700E+04	-.104920E+01	.376093E-02
8	.141100E+04	-.112464E+01	-.676897E-03
9	.192400E+04	-.117731E+01	-.124790E-02
10	.304900E+04	-.186710E+01	.120681E-01
11	.419800E+04	-.242028E+01	-.113619E-01
12	.440700E+04	-.252114E+01	-.158618E-01
13	.560700E+04	-.304478E+01	.137619E-01

Intercept   = -.473417E+00   std. dev.: .445186E-02
Slope   = -.461053E-03   std. dev.: .175324E-05
corr. coef. = .999920

TABLE 11 : LSTSQ data for the Diels-Alder reaction of

compound 13 with maleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.000000E+00	-.809010E+00	.203841E-01
2	.320000E+02	-.963130E+00	-.141843E-01
3	.650000E+02	-.108460E+01	-.123467E-01
4	.121000E+03	-.128370E+01	-.225135E-02
5	.203000E+03	-.157750E+01	.102997E-01
6	.298000E+03	-.194460E+01	-.188150E-02

Intercept   = -.829394E+00   std. dev.: .930873E-02
Slope   = -.373399E-02   std. dev.: .588928E-04
corr. coef. = .999503

TABLE 12 : LSTSQ data for the Diels-Alder reaction of

compound 17 with maleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.100000E+01	-.742570E+00	.228920E-01
2	.989000E+03	-.102093E+01	-.324604E-02
3	.118200E+04	-.105160E+01	.153540E-01
4	.151200E+04	-.116726E+01	-.160618E-01
5	.244600E+04	-.140136E+01	-.117252E-01
6	.268900E+04	-.146659E+01	-.149209E-01
7	.293700E+04	-.155482E+01	-.398401E-01
8	.410400E+04	-.176535E+01	.475480E-01

Intercept   = -.765207E+00   std. dev.: .199326E-01
Slope   = -.255285E-03   std. dev.: .856338E-05
corr. coef. = .994641

TABLE 13 : LSTSQ data for the Diels-Alder reaction of

compound 8 with N-methylmaleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.000000E+00	-.474090E+00	.262313E-01
2	.260000E+02	-.520580E+00	.160250E-01
3	.980000E+02	-.611770E+00	.253130E-01
4	.142000E+03	-.700560E+00	-.207374E-02
5	.194000E+03	-.789470E+00	-.184163E-01
6	.248000E+03	-.872170E+00	-.257578E-01
7	.359000E+03	-.103331E+01	-.339942E-01
8	.134800E+04	-.237694E+01	.455295E-02
9	.158100E+04	-.270578E+01	.870960E-03
10	.166200E+04	-.281244E+01	.724872E-02

Intercept = -.500321E+00 std. dev.: .920634E-02
Slope = -.139553E-02 std. dev.: .107477E-04
corr. coef. = .999763

LINEAR LEAST SQUARES CALCULATION

TABLE 14 : LSTSQ data for the Diels-Alder reaction of

compound 13 with N-methylmaleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.000000E+00	-.819000E+00	.265375E+00
2	.280000E+02	-.124832E+01	.144519E+00
3	.101000E+03	-.222986E+01	-.255958E-01
4	.145000E+03	-.296585E+01	-.271713E+00
5	.164000E+03	-.302857E+01	-.123761E+00
6	.197000E+03	-.356634E+01	-.297626E+00
7	.251000E+03	-.391568E+01	-.402136E-01
8	.362000E+03	-.474122E+01	.357016E+00

Intercept = -.108437E+01 std. dev.: .158372E+00
Slope = -.110880E-01 std. dev.: .829294E-03
corr. coef. = .983629

TABLE 15 : LSTSQ data for the Diels-Alder reaction of

compound 17 with N-methymaleimide.

LINEAR LEAST SQUARES CALCULATION

PT #	INPUT u	INPUT v	RESIDUAL IN INPUT v
1	.100000E+01	-.754080E+00	.202277E-01
2	.992000E+03	-.161400E+01	.533464E-01
3	.118200E+04	-.179330E+01	.432448E-01
4	.151200E+04	-.233320E+01	-.197256E+00
5	.244600E+04	-.289920E+01	.784171E-01

Intercept = -.773407E+00 std. dev.: .106928E+00
Slope = -.901149E-03 std. dev.: .732649E-04
corr. coef. = .990230

TABLE 16 : LSTSQ data for the Diels-Alder reaction of compound 8 with N-phenylmaleimide.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u          INPUT v          RESIDUAL IN INPUT v

  1      .000000E+00     -.941570E+00       .303127E-01
  2      .230000E+02     -.951080E+00       .296703E-01
  3      .530000E+02     -.979000E+00       .133169E-01
  4      .103000E+03     -.996410E+00       .151844E-01
  5      .187000E+03     -.104985E+01      -.586930E-02
  6      .270000E+03     -.109890E+01      -.229186E-01
  7      .376000E+03     -.113432E+01      -.174701E-01
  8      .444000E+03     -.116509E+01      -.228227E-01
  9      .440600E+04     -.269579E+01      -.251694E-01
 10      .453500E+04     -.276740E+01      -.471233E-01
 11      .478700E+04     -.285262E+01      -.351045E-01
 12      .573100E+04     -.312865E+01       .528257E-01
 13      .599800E+04     -.324925E+01       .351679E-01
Intercept  = -.971883E+00  std. dev.:  .118962E-01
Slope      = -.385551E-03  std. dev.:  .373083E-05
corr. coef. =  .999485
```

TABLE 17 : LSTSQ data for the Diels-Alder reaction of compound 13 with N-phenylmaleimide.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u          INPUT v          RESIDUAL IN INPUT v

  1      .000000E+00     -.851650E+00      -.921221E-01
  2      .250000E+02     -.107520E+01      -.769827E-01
  3      .550000E+02     -.131470E+01      -.300355E-01
  4      .790000E+02     -.151750E+01      -.371367E-02
  5      .940000E+02     -.166640E+01      -.940004E-02
  6      .103000E+03     -.174120E+01       .208233E-01
  7      .157000E+03     -.219730E+01       .611972E-01
  8      .189000E+03     -.249710E+01       .669196E-01
  9      .233000E+03     -.291260E+01       .906080E-01
 10      .272000E+03     -.325640E+01       .100068E+00
 11      .378000E+03     -.420080E+01       .167711E+00
 12      .444000E+03     -.531280E+01      -.295054E+00
Intercept  = -.759528E+00  std. dev.:  .583850E-01
Slope      = -.954758E-02  std. dev.:  .269998E-03
corr. coef. =  .996023
```

TABLE 18 : LSTSQ data for the Diels-Alder reaction of compound 17 with N-phenylmaleimide.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u          INPUT v          RESIDUAL IN INPUT v

  1      .100000E+01     -.798040E+00       .110619E-02
  2      .994000E+03     -.133915E+01      -.199794E-01
  3      .118400E+04     -.148386E+01      -.175838E-01
  4      .151400E+04     -.165752E+01      -.514648E-02
  5      .244800E+04     -.218681E+01      -.772542E-02
  6      .269000E+04     -.23.05E+01      -.494192E-03
  7      .293900E+04     -.244611E+01       .986455E-02
Intercept  = -.798582E+00  std. dev.:  .100132E-01
Slope      = -.563931E-03  std. dev.:  .514144E-05
corr. coef. =  .999792
```

TABLE 19 : LSTSQ data for the Diels-Alder reaction of

compound 8 with N-methylmaleimide (heptane solvent).

```
LINEAR LEAST SQUARES CALCULATION

PT #     INPUT u           INPUT v          RESIDUAL IN INPUT v

  1      .000000E+00      -.154780E+01       .342017E-02
  2      .690000E+02      -.156810E+01       .181186E-01
  3      .196000E+03      -.146130E+01      -.143452E-01
  4      .262000E+03      -.149190E+01      -.133015E-01
  5      .121000E+04      -.212770E+01       .418796E-02
Intercept    = -.155322E+01   std. dev.:  .906152E-02
Slope        = -.478238E-03   std. dev.:  .161406E-04
corr. coef.  =  .998296
```

TABLE 20 : LSTSQ data for the Diels-Alder reaction of

compound 17 with N-methylmaleimide (heptane solvent).

```
LINEAR LEAST SQUARES CALCULATION

PT #     INPUT u           INPUT v          RESIDUAL IN INPUT v

  1      .000000E+00      -.145480E+01      -.171711E-02
  2      .730000E+02      -.182090E+01       .469636E-02
  3      .200000E+03      -.247350E+01       .167746E-03
  4      .240000E+03      -.267630E+01       .148472E-02
  5      .266000E+03      -.284630E+01      -.358393E-01
  6      .282000E+03      -.286090E+01       .312075E-01
Intercept    = -.145308E+01   std. dev.:  .191743E-01
Slope        = -.510292E-02   std. dev.:  .933373E-04
corr. coef.  =  .999332
```

PLATE XI : CPK space filling model of compound 13 (view #1).

PLATE XII : CPK space filling model of compound 13 (view #2).

PLATE XIII : CPK space filling model of compound 13 (view # 3).

PLATE XIV : CPK space filling model of compound 29.

APPENDIX D

DATA RELATIVE TO CHAPTER III

TABLE 21 : LSTSQ data for the retro Diels-Alder reaction of

compound 10 in diphenylether at 200°C.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u         INPUT v          RESIDUAL IN INPUT v

 1      .100000E+01    -.842500E-01        .916272E-02
 2      .200000E+01    -.122780E+00       -.228731E-02
 3      .300000E+01    -.145420E+00        .215266E-02
 4      .400000E+01    -.176810E+00       -.215737E-02
 5      .500000E+01    -.202960E+00       -.122740E-02
 6      .600000E+01    -.232930E+00       -.411743E-02
 7      .700000E+01    -.254010E+00        .188254E-02
 8      .800000E+01    -.280730E+00        .224251E-02
 9      .900000E+01    -.313690E+00       -.363751E-02
10      .100000E+02    -.339710E+00       -.257754E-02
11      .110000E+02    -.367220E+00       -.300757E-02
12      .120000E+02    -.395460E+00       -.416760E-02
13      .130000E+02    -.423000E+00       -.462763E-02
14      .140000E+02    -.447670E+00       -.221766E-02
15      .150000E+02    -.464300E+00        .323231E-02
16      .160000E+02    -.488260E+00        .113523E-01
Intercept   = -.663320E-01  std. dev.: .257459E-02
Slope       = -.270800E-01  std. dev.: .266258E-03
corr. coef. =  .999324
```

TABLE 22 : LSTSQ data for the retro Diels-Alder reaction of

compound 26 in diphenylether at 200°C.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u         INPUT v          RESIDUAL IN INPUT v

 1      .100000E+01    -.164340E+00        .188291E-03
 2      .200000E+01    -.178780E+00        .560780E-02
 3      .300000E+01    -.201760E+00        .248731E-02
 4      .400000E+01    -.221250E+00        .285682E-02
 5      .500000E+01    -.242900E+00        .106433E-02
 6      .600000E+01    -.262370E+00        .145583E-02
 7      .700000E+01    -.285080E+00       -.137466E-02
 8      .800000E+01    -.306470E+00       -.292515E-02
 9      .900000E+01    -.325830E+00       -.242564E-02
10      .100000E+02    -.346440E+00       -.317613E-02
11      .120000E+02    -.386480E+00       -.349711E-02
12      .130000E+02    -.408710E+00       -.386760E-02
13      .140000E+02    -.427390E+00       -.468810E-02
14      .150000E+02    -.442170E+00        .391412E-03
15      .160000E+02    -.465490E+00       -.306908E-02
16      .170000E+02    -.485050E+00       -.276957E-02
17      .180000E+02    -.502680E+00       -.540062E-03
18      .190000E+02    -.517290E+00        .470943E-02
19      .200000E+02    -.529420E+00        .124390E-01
20      .210000E+02    -.566790E+00       -.507154E-02
21      .220000E+02    -.580060E+00        .151797E-02
22      .230000E+02    -.597690E+00        .374748E-02
23      .240000E+02    -.622340E+00       -.104301E-02
Intercept   = -.144669E+00  std. dev.: .181428E-02
Slope       = -.198595E-01  std. dev.: .125864E-03
corr. coef. =  .999579
```

TABLE 23 : LSTSQ data for the retro Diels-Alder reaction of

compound 27 in diphenylether at 200°C.

```
LINEAR LEAST SQUARES CALCULATION

PT #      INPUT u         INPUT v          RESIDUAL IN INPUT v

 1      .100000E+02    -.201350E+00        .143056E-02
 2      .200000E+02    -.215260E+00        .212783E-02
 3      .300000E+02    -.231720E+00        .275095E-03
 4      .400000E+02    -.258950E+00       -.123474E-01
 5      .500000E+02    -.262330E+00       -.112037E-02
 6      .600000E+02    -.262850E+00        .129669E-01
 7      .700000E+02    -.285690E+00        .473417E-02
 8      .900000E+02    -.321540E+00       -.190130E-02
 9      .100000E+03    -.341730E+00       -.748403E-02
10      .110000E+03    -.350550E+00       -.169674E-02
11      .120000E+03    -.366430E+00       -.296949E-02
12      .140000E+03    -.386690E+00       -.598904E-02
Intercept   = -.188173E+00  std. dev.: .392261E-02
Slope       = -.146073E-02  std. dev.: .485918E-04
corr. coef. =  .994513
```

In his review of this thesis, Dr. Platz voiced concern over the accuracy of the k_1 values obtained. His primary concern was that k_1 values will be extremely sensitive to an accurate D_∞ value. He recommended two courses of action: 1. To obtain an estimate of the accuracy of k_1 values, systematically vary D_∞ and recalculate k_1 for each; and 2. Obtain the best fit of k_1 and k_2 to the curve described by:

$$B = A_0 \, k_1 \, (e^{-k_1 t} - e^{-k_2 t})/ \, k_2 - k_1$$

for the presumed A $\longrightarrow$ B $\longrightarrow$ C system.

Unfortunately, the curve fitting suggestion could not be accomplished. As the parent anthracene decomposes, it gives rise to a compound which is uv absorbing in the same region as the parent anthracene. Therefore, the time variable values for B could not be obtained over the required range.

However, for each cycloadduct (10, 26, and 27), the calculated D_∞ value was varied by +10, +25, -10, and -25%. For each new D_∞ value, k_1 was recalculated. The results are displayed in Table 24. Please note that even if the error associated with D_∞ is 25%, 10 cycloreverts ten times faster than 27 in the worst case.

Over the range -25% to +25%, the error associated with k_1 is approximately equal to the error associated with D_∞. A realistic error estimate for D_∞ is $\pm$ 10% with a maximum error estimate of $\pm$ 20%. Thus, I conclude that the error associated with the rDA k_1 values is $\pm$ 20% and the rate acceleration by polysiloxy substituents is a real phenomenon.

TABLE 24: Dependence of k_1 for the retro Diels-Alder reaction of <u>10</u>, <u>26</u> and <u>27</u> on the calculated D_∞ value.

Compound	k_1 (min^{-1}) X 10^2				
D_∞	$1.25D_i$	$1.10D_i$	D_i	$.90D_i$	$.75D_i$
<u>10</u>	2.04	2.39	2.71	3.12	4.03
<u>26</u>	1.48	1.76	1.99	2.29	2.97
<u>27</u>	.11	.13	.15	.16	.20

D_i is the original D_∞ value.

LIST OF REFERENCES

1. Czarnik, A. W.; Tet. Lett. 1984, 25, 43, 4876.

2. Nanjappan, P.; Quarterly Report to Czarnik Research Group, Ohio State University, Spring, 1986.

3. Nanjappan, P. and A. Czarnik; J. Am. Chem. Soc. 1987, 109, 1828.

4. Nanjappan, in his Quarterly Report to Czarnik Research Group, Ohio State University, Spring, 1986, gave the following references: a. Breslow, R., and M. Schmir; J. Am. Chem. Soc. 1971, 93, 4960-61 and b. Pinnell, D., et al; J. Am. Chem. Soc. 1972, 94, 6104-6106 and references cited therin.

5. Czarnik, A. W.; Organic Chemistry Seminar to the Ohio State University, October 10, 1986.

6. Nanjappan, P. and A. Czarnik; J. Org. Chem. 1986, 51, 2851.

7. Vaughan, W. R.; J. Org. Chem. 1956.

8. The following references were provided by A. W. Czarnik in his Organic Chemistry Seminar to the Ohio State University on October 10, 1986:
    a. Hart; J. Am. Chem. Soc. 1967, 4554.
    b. Evans; J. Am. Chem. Soc.1975, 4765.
    c. Knapp; J. Am. Chem. Soc. 1983, 5494.
    d. Papies, O. and W. Grimme; Tet. Lett. 1980, 21, 2799-2802.
    e. Rajanbabu; J. Org. Chem. 1983, 652.
    f. Vara Prasad; J. Org. Chem. 1982, 1380.

9. Papies, O. and W. Grimme; Tet. Lett. 1980, 21, 2801.

10. Chung, Y. S.; Quarterly Report to the Czarnik Research Group, Ohio State University, Autumn, 1986.

11. Interview with A. W. Czarnik, March 1986.

12. Boldt, Peter; Chem. Ber. 1967, 100, 1275.

13. Lindsey, A. S.; Chem. and Ind. 1965, 1685.

14. Conversation with A. W. Czarnik.

15. Balci, Metin; Chem. Rev. 1981, 81, 96.

16. Corey, E. J. and Paul B. Hopkins; Tet. Lett. 1982, 23, 47, 4872.

17. Obtained from Petrarch Systems, Inc., Bristol, PA.

18. Obtained from Fluka Chemical Corp., Ronkonkoma, NY.

19. Foote, C. S. and S. Wexler; J. Am. Chem. Soc. 1964, 86, 3080.

20. Wasserman, Singlet Oxygen, Academic Press, 49.

21. Ranby and Rabek; Singlet Oxygen, Wiley Interscience Publications, 116.

22. Trost, Barry M. and C. G. Caldwell; Tet. Lett. 1981, 22, 50, 4999-5000.

23. This step is crucial to the ease of workup and yield. If too little or too much ice is used, a purple tar forms. Workup then requires an extra step, continuos extraction with chloroform, and yield drops to 8% or less. After the ice water has equilibrated to 0°C, the crushed ice should account for approximately 1/3 of the volume.

24. Crystallization from acetic acid (Boldt's procedure) indeed works, however for my purposes, I found ethanol to be a better crystallizing solvent.

25. Difficulties were encountered trying to crystallize from acetic acid, thus, after several attempts, ethanol was used. A true yield could not be determined, but qualitatively, it was much higher than 50%.

26. NMR and Microanalysis indicate this compound probably exists as 9,10-diphenyl-2,3,6,7-tetrahydroxyanthracene ·2 EtOH in the solid form after crystallization from ethanol.

27. Dr. Matthew Platz (Ohio State University) voiced concern over the accuracy of the obtained k_1 values. For more information, see Appendix D.

28. Levy, George C. and Gordon L. Nelson; Carbon-13 Nuclear Magnetic Resonance for Organic Chemists, Wiley-Interscience, New York, 1972, p. 86.

29. Washburne, Stephen S.; Silicon Compounds Register & Review, Petrarch Systems Inc., Bristol, Pa.